


Future Foresee

4306 Massage Chair
OPERATION INSTRUCTIONS

# SAVE THESE INSTRUCTIONS



Thanks for purchasing this product. Please read this manual instruction carefully in order to know how to use this product correctly before operation. Please pay more attention to some important safety warning and keep this manual book properly for future use.

Note: Our Company reserves the right to revise the design and description of this product without any further notice. Please refer to the actual color of this product.

# **CONTENTS**

Safety and maintenance	02
Name and function of components	04
Function	05
Method of usage	06
Product specification	13

# Safety and maintenance

# 1.Important Safety Warning.



- Don't allow children to touch moveable part of this product.
- Please use well-grounding power supply suited to this product.
- Please pull out the plug after use or before cleaning to avoid injury or Damage to the product.
- Please operate this product according to this manual instruction.
- Don't use accessories which are not recommended.
- Don't use this product outdoors.
- Please read this manual instruction carefully before operation.
- Any other usage that is not listed in this manual instruction is forbidden.
- 20 minutes of usage each time is recommended.
- Please don't use it if the leather is broken or damaged.
- Please don't use it if the cover or leather is damaged.
- Please don't use it if the radiator hole is covered or blocked.
- Please don't drop anything into this product.
- Please don't fall asleep while using this product.
- · Please don' t use it if drunk or feel unwell.
- Please don't use it within one hour after having meal.
- Please don't make the massage function too strong for avoiding Injury.

### 2. Environment for usage.

- Please don't use it under high temperature and moist environment such as bathroom.
- Please don't use it immediately while the environmental temperature changes sharply.
- Please don't use it under heavy-dusty or caustic environment.
- Please don't use it where there is not enough space or not good ventilation.

### 3. People who are not suitable to use this product.

- People who are suffering from osteoporosis are not suitable to use this product.
- People who are suffering from heart disease or carrying electronic medical equipment such as heart pacemaker are not suitable to use this product.
- People who are suffering from fever are not suitable to use this product.
- Pregnant women or women that are in menses period are not suitable to use this product.
- People who got injured or skin disease are not suitable to use this product.
- Children under 14-year old or people mentally unbalanced without being Supervised are not allowed to use this machine.
- People who are told by doctor to have rest or people who feel unwell are not suitable to use this product.
- People whose bodies are wet are forbidden to use this product.
- The appliance has a heated surface persons insensitive to Heat must be careful when using the appliance.

#### 4. Safety.

- Check the voltage if it is suitable to the specification of this product.
- Don't use wet hand to pull the plug.
- Don't make water go inside this product to avoid electric shock or cause damage to this product.

# Safety and maintenance

- Don't damage the wires or change the circuit of this product.
- Don't use wet cloth to clean the electric parts such as switch and plug.
- Be away from this product under power cut state to avoid injury if the power comeback suddenly.
- Stop using this product while it works abnormal, and please consult local agent immediately.
- Stop using this product if you feel unwell, and please consult health care doctor.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- If the supply cord is damaged, it must be replaced by the manufacturer, its Service agent or similarly qualified persons in order to avoid a hazard.


#### 5. Maintenance.

- This product should be maintained by certain appointed agents, users are prohibited to disassemble or maintain by themselves.
- Please don't forget to cut the power after usage.
- Don't use this product if the socket looses.
- If this product will be left unused for long, please curl up the wires and reserve this
  product in dry and dustless environment.
- Don't reserve this product under high temperature or near fire and avoid longtime direct sunshine.
- If the detachable cord / supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a Hazard.
- Please clean this product by dry cloth. Don't use thinner, benzene or alcohol.
- The mechanical components of this product are specially designed and made, it is not necessary to be specially maintained.
- Don't use edged res to thrust this product.
- Don't roll or pull this product above uneven ground, it should be lifted before moving.
- Please use it intermittently: don't make this product work continuously for long.

### 6. Solution of ordinary malfunctions.

- It is nature movement voice if the motor sounds while in usage.
- If the controller can't work normally, please check the plug and socket if they are connected strongly and make sure the switch is turned on.
- If the rated working time is over, the product will automatically activate the poweroff button; If this product works continuously for long, the temperature protector will make the product automatically power-off, it should be used again after half an hour's rest.

# Name and function of components



### **Function**

### Function:


- Designed with a set of vertically movable, four wheel driven muted intelligent massage hands
- Designed with emulation massage methods of shiatsu, kneading, flapping, knocking, simultaneous kneading and flapping
- Set with the shoulder automatic detection and location
- Set with characterizedauto massage function: ache-improving, comfort, ease, fast improving experience massage, upper body, lower body six kinds of automatic.
- Set with memory set on function M1 and M2
- Manual massage for the upper body with three options, fixed, partial and overall
  massage, with five levels of speed adjustable. in the state of flapping, shiatsu and
  knocking, the width between the two kneading balls is adjustable with three
  Levels: wide, medium and narrow. On partial and fixed point, the massage hands
  can move up and down to adjust the massage point accurately.
- Air pressure massage function with three modes: full body air pressure, arms (upper arm set with 4 air bags, arm set with 8 air bags), leg set with 16 air bags, three intensity optional.
- Leg designed with roller massage function at the bottom of foot, two pairs of papillae on toe root rotating massage; on the arch and heel mastoid skin scraping massage.
- On upper arm has two grades width adjustment function(When you adjust to the last grade, to push into the arm about a gear distance then lose your hand and arm device will automatically reset, and so on)in order to adapt to the different shoulder breadth of users.
- Back heating function: carbon fi ber far infrared heat source.
- The footrest use double step less extended to suit for different body heights.
- Backrest frame down slides used technology to deviate from the wall by keeping zero space, reach the maximum space saving
- Leg lifting adjusting, the backrest frame lifting adjusting and automatic lay down mode adjustment function
- L shape back track fitting curves of the body, can realize the zero gravity when back down

04 05

# Note: The specific displays referto the actual object of this product!

# Method of usage

### 1.Switch power supply on



### 2.Start to massage

- 1). Press power button, massage chair automatically reclining, and start massage.
- 2). Automatic shoulder position and massage acupressure point detection, waiting for the completion of testing.
- 3). If there is difference with the massage balls and the actual shoulder position, youcan adjust the up and down button to a suitable position. Shoulder position has 10 grades adjustable. It will run automatic massage if there is noadjustment on shoulder position within 10 seconds

Button	Description	Display
Adjust Abouter	Move the massage balls upward to a suitable position	
shoùlder 🔼	Move the massage balls downward to a suitable position	



- 4) Choose massage function to massage
- Memory function massage
   Press button "Upper body / M1" or "Lower body /M2" for 3 seconds, then enter into memory massage function "M1" or "M2", it will revert to the previous memory massage mode.

Function	Button	Display
Memory massage	Upper un	Menory
	Ponds, mg	Menory

# Method of usage

· Characterized auto massage

Function	Button	Feature	Display
	Ache relieve	Deeply massage on acupressure points, effectively alleviate pain	Auto F1
	Comfort	Loosen body physique	Auto F2
Characterized auto massage	Qemo Relax	Promote blood circulation	Auto F3
massage	Demo Relax	Fast to experience all the massage effect (press for 2S, switch to speed press)	Auto F0
	Upper body/M1	Massage focus on upper body	Auto F4
	Lower body M.	Massage focus on lower body	Auto F5

• Upper body manual massage, lower body manual massage 1)Upper body manual massage

Function	Button	Adjust Massage Ball	Display
	Shiatsu	Speed And Width	
	Knead&flap	Speed	
Technique	Flap	Speed And Width	
	Knead	Speed	
	Knock	Speed And Width	
Speed	Speed	Three Grades Speed Adjustable	Speed
Width	Width	Three Grades Widths Adjustable	Width

# Method of usage

Function	Button	Description	Display		
	Fixed position (fixed point) massage back and forth		ge back and forth	ſ'Ì H0	
	Back Stretch	Small area (partial area) massage	Small area (partial area) massage back and forth		
	Back Stretch	Overall massage back and forth		Ü H2	
	Back Stretch	Upper body massage back and forth		[] нз	
Back	Back Stretch	Lower body massage back and forth		∫ H4	
Stretch	4	Massage point adjust (in fixed point, partial modes you can	Massage hand move up		
	•	adjust the massage position)	Massage hand move down		

• Air pressure function massage

	Function	Button	Description	Display
- 1	Air pressure mode	procedure	Three air pressure modes(full body, arm and leg ) for Lower body	Arm
	Intensity	Air Intensity	With three grades adjustable	Arm IIIIIIIII Feet IIIIIIIII

Other manual function

Function	Button	Description	Display
Roller	Roller Sole roller: sole roller switch, with 3 speed level available		
Heating Far infrared back heating, has warm feeling whe it start to work 3 minutes later			

· Other manual function

Function	Button	Description
Calf rise	D	Calf rest lifting button, press this button, calf restlifting slowly, stop when release it
and drop	D	Calf rest decline button, press this button, calf rest decline slowly, stop when release it
Backrest rise	•	Backrest lifting button, press this button, backrest lifting slowly stop when release it
and drop	<b>•</b>	Backrest decline button, press this button, backrest decline slowly, stop when release it
Auto lay down mode	ZERO	with three modes circulation function, when press the button, turn into auto lay downmode.

# Method of usage

### 3. Turn off power, stop massage

- 1)Press power button during massage progress, all massage function will be stop immediately, the backrest and footrest will return to original position automatically, meanwhile you can set up memory function. After rated working time, all massage functions will be finished, meanwhile you can set up memory function, but backrest and footrest won't return to original position.
- 2)Memory store function: After rated working time or switch off, the hand controller displays "Memory" and glitter, remind the users whether need to store the massage mode before turn off, you can press the memory function buttons "M1" or "M2" as you like, store the massage mode.
- 3) Cut off the power of the whole machine. Figure (Switch power off)





Diagram of the switch position of power supply

Power switch method map







Set with safety switch in a power supply box, if there is heavy pressure on power supply box, then forced stop back lying function, prevent hurts peoplewhen lying.

### 4.Calf installation

- Install the rotating shaft incalf fixed axis first, noticed the hole should be aligned, so that the R shape pin assembly (chart 1)
- · After calf is connected with the fixed axis aligned, then insert (chart 2)







art 1)

# Method of usage


- Plug R pin, then moved to the other side of the calf, and the plug R pin (chart 3)
- Finished (chart 4)





#### Note

- When the machine under the working state, with lying and calf rest lifting, you could not apply gravity on the calf, to prevent the massage chair does harm to peoplebefore dumping(chart1).
- Ensure the mechanism hands not in the seat part otherwise will cause uncomfortable in the Buttock when you seating in the chair(chart2).







### 5. Head cushions and backrest pad's dismounting and use manual

 Using head cushions can reduce the kneading massage intensity on neck and shoulder, according to your needs to decide whether the head cushions is needed (recommend head cushions). Backrest cushion and backrest connected by zipper (1), head cushions and backrest pad connected by thread gluing (2).







10

# Method of usage


### 6.Use double pillow

Use double pillow to reduce the neack and shoulder massage intenstiy, so that you
can use it as your need. Double pillow can use for different user, you can choose it
freely.



#### 7.Floor Protection

• Put the heavy massage chairs on the wood floor for a longtime may damage the floor, so please place a carpet or other object to avoid this damage.




Caution: Do not move the chairs with its wheels on wood floor, rough ground or in a narrow space. Two people are required to lift the chair. During the lifting period, take the calf sealing board and backrest cover grooves as the focal point(Please do not lift armrest Directly.)

# Method of usage

### 8.Method of movement

 Make sure that all wires are far above the ground, tilt the backrest backward to a certain degree (with the gravity center resting on the wheels), push the chair forward or backward with your hands and finally resume the chair to the normal position in a slow and gentle manner.



Note:During movement you must turn off the power switch first and then unplug the power line and hand controller connecting line.

# **Product specification**

Model: SL-A386 Name: Massage Chair

Rated voltage: 110-120V~ 60Hz

220-240V~ 50Hz/60Hz ...

Rated power input:150W Rated time: 20Min Safety structure: Class I

Material introduction: PVC, PA, steel parts and electric &ele -ctron parts

MATERIAL	PU	LEATHER	CLOTH	WOOD